

中国地质(双月刊)

(ZHONGGUO DIZHI)

2018年02月第45卷第1期(总第384期)

目 次

特别关注

南海北部陆坡高饱和度天然气水合物气源运聚通道控藏作用 … 张伟 梁金强 苏丕波 等(1)
南海北部陆坡天然气水合物区地质灾害类型及其分布特征

…………… 何健 梁前勇 马云 等(15)

综述论文

世界海底多金属结核调查与研究进展 ……………… 于森 邓希光 姚会强 等(29)

学术论文

南海南部陆缘地质流体类型及其油气成藏意义 ……………… 鄢伟 张光学 张莉 等(39)

南海北部潮汕坳陷侏罗系沉积特征对储层的控制作用研究 …… 强昆生 张光学 张莉 等(48)

渤海南部莱州湾晚更新世以来沉积演化特征 ……………… 高茂生 郭飞 侯国华 等(59)

北黄海东部次盆地白垩统沉积环境及沉积充填 ……………… 王改云 刘金萍 王嘹亮 等(69)

台湾东澳片岩锆石U-Pb年龄及地质意义 ……………… 黄长煌(81)

豫西崤山韩沟岩体锆石U-Pb定年、地球化学特征及地质意义 ……………… 卢仁 梁涛(95)

滁州地区金牛侵入体的岩石成因:拆沉下地壳熔融还是壳幔混合

…………… 陈俊 王辉 王丽娟 等(110)

内蒙古科尔沁右翼中旗协和尔斯德中生代火山沉积地层时代研究

…………… 付俊彧 那福超 郑少林 等(129)

阿尔泰造山带喀纳斯群变质岩地球化学特征及形成环境 … 裴国栋 弓小平 马华东 等(141)

南天山坎岭铅锌矿床地质特征及S、Pb同位素特征研究 …… 杨斌 陈正乐 张青 等(155)

内蒙古二连盆地呼仁布其凹陷白垩系铀矿化特征与找矿远景 … 赵岳 徐强 梁叶萍 等(168)

高光谱遥感地空综合预测方法在新疆卡拉塔格地区铜金矿床找矿中的应用

…………… 孙永彬 王瑞军 魏本赞 等(178)

发现和进展

塔里木盆地西南坳陷齐姆根凸起侏罗系钻获油气显示 …… 白忠凯 杨有星 邱海峻 等(193)

鄂西北神农架背斜北翼(鄂红地1井)五峰—龙马溪组钻获页岩气显示

…………… 宋腾 陈科 包书景 等(195)

[期刊基本参数]CN11-1167/P*1953*b*A4*206*zh*P* ¥ 50.00*2000*15*2018-02

本期总编:王学明 本期责任编辑:王学明 李亚萍 郭慧 杨艳 英文审校:张中民 技术编辑:王巍 黄彩霞

内蒙古西乌旗德勒哈达早白垩世A型花岗岩形成时代：锆石U-Pb定年证据	王金芳 李英杰 李红阳等(197)
湖北宜昌地区奥陶系五峰组—志留系龙马溪组获页岩气高产工业气流	陈孝红 张保民 张国涛等(199)
青海祁漫塔格群力矿床矽卡岩中白云母 ⁴⁰ Ar/ ³⁹ Ar年龄报道 ··· 何书跃 李东生 白国龙等(201)	
鄂西宜昌地区震旦系灯影组藻丘灰岩钻获油气显示	王鹏 宋腾 陈科等(203)
简讯与热点	
钢、镓、硒成为新能源材料新宠 应加强地质找矿与综合利用	(205)
《中国地质》入选“第4届中国精品科技期刊”	(192)
中国地质调查局、中国地质科学院2017年度地质科技十大进展	(封二)
中国地质学会2017年度十大地质科技进展和十大地质找矿成果	(封三)
欢迎订阅2018年《中国地质》	(封四)
《中国地质》(双月刊)栏目设置与稿约	(I)

GEOLOGY IN CHINA

(Bimonthly)

Feb. 2017 Vol. 45, No.1 (Serial No. 384)

Contents

In Fous

- Migrating pathways of hydrocarbons and their controlling effects associated with high saturation gas hydrate in Shenu area, northern South China Sea *ZHANG Wei, LIANG Jinqiang, SU Pibo, et al(1)*
Geohazards types and their distribution characteristics in the natural gas hydrate area on the northern slope of the South China Sea *HE Jian, LIANG Qianyong, MA Yun, et al(15)*

Reviews

- The progress in the investigation and study of global deep-sea polymetallic nodules *YU Miao, DENG Xiguang, YAO Huiqiang, et al(29)*

Research Articles

- Focused fluid flow systems and their implications for hydrocarbon accumulations on the southern margin of South China Sea *YAN Wei, ZHANG Guangxue, ZHANG Li, et al(39)*
A study of depositional characteristics of the Jurassic strata in Chaoshan Sub-basin, northern South China Sea, and its control on reservoir beds *QIANG Kunsheng, ZHANG Guangxue, ZHANG Li, et al(48)*
The evolution of sedimentary environment since late Pleistocene in Laizhou Bay, Bohai Sea *GAO Maosheng, GUO Fei, HOU Guohua, et al(59)*
Early Cretaceous sedimentary environment and filling in the Eastern Sub-basin, North Yellow Sea *WANG Gaiyun, LIU Jinping, WANG Liaoliang, et al(69)*
Zircon U-Pb isotopic geochronology of Tongao schist in Taiwan and its geological significance *HUANG Changhuang(81)*
Zircon U-Pb dating and geochemical features of Hangou granitic body in Xiaoshan Mountain, western Henan Province, and its geologic implications *LU Ren, LIANG Tao(95)*
Petrogenesis of Jinniu rock mass in Chuzhou area: Melting of delaminated lower crust or mixing of crust and mantle? *CHEN Jun, WANG Hui, WANG Lijuan, et al(110)*
A study of geological age of the Mesozoic volcanic-sedimentary strata in Xiehe'side area, Horqin Right Wing Middle Banner, Inner Mongolia *FU Junyu, NA Fuchao, ZHENG Shaolin, et al(129)*
Geochemical characteristics and formation environments of metamorphic rocks in the Kanas Group of Altay tectonic belt *PEI Guodong, GONG Xiaoping, MA Huadong, et al(141)*
Geological characteristics and sulfur and lead isotopes of the Kanling lead-zinc deposit, Southern Tianshan Mountains *YANG Bin, CHEN Zhengle, ZHANG Qing, et al(155)*
Uranium mineralization characteristics of Cretaceous period and prospecting direction of the Hurenbuqi depression in Erlian basin, Inner Mongolia *ZHAO Yue, XU Qiang, LIANG Yeping, et al(168)*
The application of hyperspectral remote sensing ground-air integrated prediction method to the copper gold deposit prospecting in Kalatag area, Xinjiang *SUN Yongbin, WANG Ruijun, WEI Benzan, et al(178)*

Discoveries and Development

- New findings of oil and gas show drilling in Qimugen uplift, southwest depression of Tarim Basin *BAI Zhongkai, YANG Youxing, QIU Haijun, et al(193)*

- The discovery of shale gas in Wufeng– Longmaxi Formation at Hongdi– 1 Well on the northern limb of Shennongjia anticline in northwestern Hubei Province *SONG Teng, CHEN Ke, BAO Shujing, et al*(195)
Formation age of the Deleuada Early Cretaceous A-type granite in Xiwu Banner, Inner Mongolia: Evidence from zircon U–Pb chronology *WANG Jinfang, LI Yingjie, LI Hongyang, et al*(197)
High shale gas industry flow is obtained from the Ordovician Wufeng Formation and the Silurian Longmaxi Formation of Yichang area, Hubei Province *CHEN Xiaohong, ZHANG Baomin, ZHANG Guotao, et al*(198)
The report on $^{40}\text{Ar}/^{39}\text{Ar}$ age of muscovite from the Qunli Fe–polymetallic deposit in the Qimantag area, Qinghai Province *HE Shuyue, LI Dongsheng, BAI Guolong, et al*(201)
The discovery of algal and bioherm reservoir in Sinian Dengying Formation, Yichang area, Western Hubei Province *WANG Peng, SONG Teng, CHEN Ke, et al*(203)

New and Highlights

- Indium, gallium and selenium receive considerable attention from industrial circles and hence deserves much more geological and prospecting efforts (205)